

**Regional Findings from the School Health Education Profile
Principals Survey - Montana 2000**

Source: 2000 Montana School Health Education Profile Survey (OPI).

Important Notice - Please Read

The regional data are contained in the following tables. The tables present the findings for nine regions of Montana.

Regional Findings from the School Health Education Profile Principals Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Principals	Statewide Average	Region								
		4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-12 When students are caught smoking cigarettes, how often are each of the following actions taken? (Response of those answering "Always or Almost Always Taken".)										
a. Referred to a school counselor	34.0%	34.2%	30.8%	6.3%	52.9%	47.8%	14.8%	31.0%	30.0%	36.1%
b. Referred to a school administrator	95.0%	100.0%	92.3%	100.0%	94.9%	95.7%	92.9%	96.6%	90.0%	91.9%
c. Encouraged, but not required to participate in an assistance, education, or cessation program	22.0%	32.4%	7.7%	5.9%	25.0%	22.7%	25.0%	13.8%	30.0%	22.9%
d. assistance, education, or cessation program	17.0%	34.2%	0.0%	0.0%	15.8%	21.7%	21.4%	13.8%	21.1%	11.4%
e. Referred to legal authorities	52.0%	59.0%	30.8%	70.6%	55.3%	30.4%	64.3%	51.7%	60.0%	41.7%
f. Placed in detention	28.0%	15.8%	38.5%	37.5%	18.9%	47.8%	16.0%	21.4%	35.0%	33.3%
g. Given in-school suspension	26.0%	26.3%	30.8%	35.3%	30.6%	17.4%	20.0%	17.9%	45.0%	22.2%
h. Suspended from school	36.0%	48.7%	0.0%	0.0%	25.6%	45.8%	50.0%	46.4%	31.6%	42.9%
i. Expelled from school	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
j. Reassigned to an alternative school	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
k. Parents or guardians are informed	94.0%	97.4%	84.6%	94.1%	97.4%	91.7%	96.4%	89.7%	90.0%	94.4%
Q-14 Has this school adopted a policy specifically prohibiting each of the following types of tobacco use by faculty and staff? (Response of those answering "Yes".)										
a. Cigarettes	75.0%	67.6%	100.0%	65.0%	76.9%	62.5%	71.4%	83.3%	71.4%	89.2%
b. Smokeless tobacco	72.0%	67.6%	84.6%	65.0%	71.8%	58.3%	71.4%	76.7%	71.4%	89.2%
c. Cigars	70.0%	67.6%	100.0%	65.0%	66.7%	54.2%	71.4%	76.7%	61.9%	78.4%
d. Pipes	69.0%	64.9%	100.0%	65.0%	66.7%	54.2%	71.4%	76.7%	61.9%	78.4%

Regional Findings from the School Health Education Profile Principals Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Principals	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-19 Does your school implement each of the following safety and security measures? (Response of										
a. Require visitors to report to the main office or reception area upon arrival	98.0%	100.0%	100.0%	95.0%	94.9%	100.0%	96.4%	100.0%	100.0%	100.0%
b. Maintain a "closed campus" where students are not allowed to leave school during the school day, including lunchtime	38.0%	37.8%	30.8%	25.0%	33.3%	12.0%	57.1%	54.8%	19.0%	51.4%
c. Use staff or adult volunteers to monitor school halls during and between classes	84.0%	86.5%	92.3%	75.0%	82.1%	84.0%	75.0%	90.3%	76.2%	91.9%
d. locker checks	47.0%	51.4%	30.8%	40.0%	53.8%	36.0%	46.4%	38.7%	61.9%	54.1%
e. backpacks or book bags at school	14.0%	8.1%	15.4%	20.0%	23.1%	16.0%	10.7%	22.6%	9.5%	8.1%
f. uniforms	1.0%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	4.8%	0.0%
g. identification badges	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
h. Use metal detectors	1.0%	0.0%	0.0%	0.0%	0.0%	4.0%	7.1%	0.0%	0.0%	0.0%
i. undercover police, or security guards during the regular school	12.0%	16.2%	0.0%	0.0%	21.1%	8.0%	17.9%	12.9%	4.8%	13.5%
Q-20 Does your school have or participate in each of the following programs? (Response of those answering "Yes".)										
a. A peer mediation program	27.0%	29.7%	7.7%	15.0%	38.5%	4.0%	28.6%	17.2%	19.0%	51.4%
b. A safe-passage to school program	4.0%	2.7%	0.0%	5.0%	7.7%	0.0%	0.0%	3.4%	0.0%	10.8%
c. A program to prevent gang violence	13.0%	10.8%	0.0%	10.0%	20.5%	16.0%	14.3%	6.7%	28.6%	8.1%
d. A program to prevent bullying	40.0%	43.2%	7.7%	20.0%	38.5%	40.0%	50.0%	30.0%	47.6%	59.5%

Regional Findings from the School Health Education Profile Principals Survey - Montana 2000										
Source: 2000 Montana School Health Education Profile Survey (OPI).										
	----- Region -----									
Questions Asked of Principals	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
1. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
2. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
3. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
4. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
6. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
7. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
8. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
9. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
10. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
11. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
12. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
13. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
14. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
15. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
16. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
17. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
18. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
19. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
20. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
21. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
22. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
23. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
24. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
25. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
27. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
28. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
29. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
30. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
31. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
32. How many health education teachers are employed in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
33. How many health education classes are offered in your school?	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
34. How many health education teachers are employed in your school?	1.0									

	Region									
Questions Asked of Principals	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region

Questions Asked of Principals	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-23 Does that policy address each of the following issues for students and/or staff with HIV infection/AIDS? (Response of those answering "Yes".)										
a. infection or AIDS	94.0%	96.0%	100.0%	83.3%	92.3%	91.7%	100.0%	94.4%	93.8%	95.5%
b. infected students and staff from discrimination	94.0%	96.0%	100.0%	91.7%	84.6%	100.0%	100.0%	100.0%	93.8%	95.5%
c. Maintaining confidentiality of HIV-infected students and staff	97.0%	96.0%	100.0%	91.7%	96.2%	91.7%	100.0%	100.0%	100.0%	100.0%
d. precautions for all school staff)	98.0%	100.0%	100.0%	91.7%	92.3%	100.0%	100.0%	100.0%	100.0%	100.0%
e. infected students	72.0%	60.0%	100.0%	75.0%	61.5%	66.7%	78.6%	77.8%	81.3%	72.7%
f. students, school staff, and parents	89.0%	88.0%	87.5%	91.7%	84.6%	100.0%	78.6%	94.4%	93.8%	85.7%
g. infection for school staff	85.0%	92.0%	50.0%	83.3%	84.6%	100.0%	85.7%	83.3%	93.3%	81.8%
h. policy	87.0%	83.3%	100.0%	90.9%	80.8%	91.7%	78.6%	100.0%	92.9%	81.8%
Q-26 How many retailers in the area around your school (1,000 foot radius) sell tobacco products? (Response of those answering "one or more").										
a. One or more	49.0%	48.7%	69.2%	47.4%	53.8%	44.0%	41.3%	58.1%	33.3%	38.2%
Q-27 Are there tobacco advertisements in the area around your school (1,000 foot radius)?										
a. Yes	11.0%	15.4%	7.7%	10.5%	5.1%	4.0%	17.2%	12.9%	4.8%	20.6%
Q-28 Does your school provide tobacco cessation programs on site for any of the following people? (Response of those answering "Yes".)										

a. Faculty and staff	5.0%	12.8%	0.0%	0.0%	2.6%	0.0%	3.4%	9.7%	4.8%	5.9%
b. Students	25.0%	43.6%	15.4%	26.3%	23.1%	12.5%	10.3%	25.8%	33.3%	29.4%
c. Family members of faculty and staff	1.0%	2.6%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%	3.0%
d. Family members of students	1.0%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%	3.0%
e. Community members	1.0%	5.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%

**Regional Findings from the School Health Education Profile
Principals Survey - Montana 2000**

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Principals	Statewide Average	Region -----								
		4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region

Q-31 How are students informed of your policy which prohibits their use of tobacco? (Response of those answering "Yes".)

a. posted in visible locations	55.0%	46.2%	69.2%	52.9%	58.3%	70.8%	39.3%	40.0%	63.2%	70.6%
b. directly to students (e.g., through a student handbook)	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%	100.0%	100.0%
c. faculty and staff who then inform students	88.0%	82.1%	76.9%	100.0%	86.1%	96.0%	89.3%	93.3%	89.5%	82.4%
d. parents/guardians who then inform their child	68.0%	66.7%	76.9%	70.6%	69.4%	79.2%	60.7%	63.3%	57.9%	70.6%
e. verbally directly to students	88.0%	76.3%	76.9%	88.2%	86.1%	88.0%	92.9%	96.7%	89.5%	97.1%
f. verbally to faculty and staff who then inform students	76.0%	59.0%	84.6%	76.5%	91.7%	75.0%	85.7%	83.3%	52.6%	73.5%
g. verbally to parents/guardians who then inform their child	43.0%	33.3%	46.2%	52.9%	41.7%	50.0%	46.4%	46.7%	47.4%	41.2%
h. Other	16.0%	10.3%	22.2%	0.0%	22.2%	23.5%	14.3%	11.1%	0.0%	30.0%

Q-32 How are the parents/guardians of students informed of your policy which prohibits tobacco use by students? (Response of those answering "Yes".)

a. Meetings among teachers, parents/gu	46.0%	38.5%	53.8%	47.1%	52.8%	54.2%	28.6%	31.0%	63.2%	55.9%
b. Meetings between teachers and parer	33.0%	23.1%	38.5%	58.8%	33.3%	25.0%	17.9%	30.0%	47.4%	44.1%
c. Meetings between teachers and parer	29.0%	20.5%	38.5%	29.4%	27.8%	25.0%	32.1%	26.7%	42.1%	29.4%
d. Informational pamphlets for parents/gu	31.0%	30.8%	7.7%	23.5%	44.4%	33.3%	14.3%	23.3%	47.4%	41.2%
e. Policies are included in the general sc	98.0%	97.4%	92.3%	100.0%	100.0%	100.0%	96.4%	93.3%	100.0%	97.1%
f. Policies are included in the student ha	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%	100.0%	100.0%
g. Policies are announced at school ever	40.0%	33.3%	46.2%	58.8%	50.0%	47.8%	35.7%	33.3%	26.3%	44.1%
h. Other	18.0%	21.9%	22.2%	9.1%	14.8%	18.8%	0.0%	14.3%	18.2%	42.9%

Regional Findings from the School Health Education Profile Principals Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Principals	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-38 How are faculty and staff informed of your policy which prohibits their use of tobacco during school related activities? (Response										
a. Signs stating the policy are posted in \	55.0%	40.0%	69.2%	53.8%	71.4%	59.1%	54.2%	34.6%	41.2%	75.8%
b. Written policies are distributed to facul	93.0%	88.9%	100.0%	92.3%	100.0%	87.0%	91.7%	88.5%	94.1%	100.0%
c. Written policies are communicated ver	86.0%	72.2%	84.6%	84.6%	96.7%	86.4%	83.3%	84.6%	82.4%	97.1%
d. Policies are included in the faculty/staf	91.0%	91.7%	100.0%	84.6%	93.3%	95.7%	83.3%	92.3%	82.4%	90.9%
e. Through staff development programs	33.0%	27.8%	30.8%	23.1%	33.3%	40.9%	29.2%	34.6%	17.6%	44.1%
f. The policy is included in faculty and st	18.0%	13.9%	0.0%	23.1%	16.7%	23.8%	20.8%	34.6%	5.9%	14.7%
g. Other	14.0%	25.0%	18.2%	0.0%	4.5%	20.0%	0.0%	11.8%	10.0%	22.7%
Q-43 During the past 30 days, on how many days did you use tobacco? (Response of those answering "zero days".)										
a. Did not use tobacco in past 30 days	90.0%	97.4%	100.0%	84.2%	87.2%	96.0%	88.5%	90.3%	75.0%	90.6%

**Regional Findings from the School Health Education Profile
Lead Health Educators Survey - Montana 2000**

Source: 2000 Montana School Health Education Profile Survey (OPI).

Important Notice - Please Read

**The regional data are contained in the following tables. The
tables present the findings for nine regions of Montana.**

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-3 During this school year, have teachers in this school tried to increase student knowledge on each of the following topics in a required health education course in any of grades 6 through 12? (Mark yes or no for each topic.)										
a. Accident or injury prevention	88.0%	94.1%	90.9%	69.2%	96.7%	75.0%	95.8%	96.2%	81.3%	80.6%
b. Alcohol or other drug use prevention	98.0%	100.0%	90.9%	92.3%	100.0%	100.0%	95.8%	100.0%	93.8%	100.0%
c. Consumer health	80.0%	91.4%	90.9%	53.8%	90.0%	68.4%	83.3%	65.4%	75.0%	80.6%
d. CPR (cardiopulmonary resuscitation)	68.0%	64.7%	81.8%	61.5%	86.2%	45.0%	66.7%	76.9%	56.3%	71.0%
e. Death and dying	54.0%	47.1%	45.5%	61.5%	46.7%	47.4%	45.8%	69.2%	50.0%	67.7%
f. Dental and oral health	62.0%	64.7%	63.6%	61.5%	69.0%	45.0%	58.3%	57.7%	62.5%	64.5%
g. Emotional and mental health	88.0%	97.1%	81.8%	76.9%	93.3%	84.2%	83.3%	92.3%	75.0%	87.1%
h. Environmental health	67.0%	76.5%	63.6%	30.8%	80.0%	60.0%	75.0%	65.4%	62.5%	56.7%
i. First aid	75.0%	78.8%	90.9%	61.5%	89.7%	60.0%	70.8%	84.6%	56.3%	73.3%
j. Growth and development	83.0%	88.2%	81.8%	76.9%	82.8%	80.0%	83.3%	88.5%	68.8%	86.7%
k. prevention	95.0%	97.1%	72.7%	100.0%	100.0%	100.0%	90.9%	100.0%	92.9%	93.3%
l. Human sexuality	84.0%	85.3%	80.0%	92.3%	79.3%	85.0%	83.3%	84.6%	87.5%	83.9%
m. Immunization and vaccinations	56.0%	66.7%	54.5%	46.2%	69.0%	47.4%	52.2%	57.7%	37.5%	54.8%
n. Nutrition and dietary behavior	91.0%	97.1%	90.9%	76.9%	96.6%	80.0%	91.7%	88.5%	93.8%	93.5%
o. Personal hygiene	87.0%	88.6%	81.8%	84.6%	92.9%	70.0%	95.7%	80.8%	87.5%	87.1%
p. Physical activity and fitness	97.0%	100.0%	100.0%	92.3%	100.0%	90.0%	91.7%	100.0%	93.8%	100.0%
q. Pregnancy prevention	77.0%	82.4%	60.0%	76.9%	79.3%	75.0%	70.8%	80.8%	75.0%	80.6%
r. STD (sexually transmitted disease) prever	84.0%	87.9%	63.6%	84.6%	89.7%	85.0%	75.0%	92.3%	81.3%	87.1%
s. Suicide prevention	61.0%	69.7%	27.3%	53.8%	70.0%	52.6%	54.2%	57.7%	56.3%	71.0%
t. Sun safety or skin cancer prevention	66.0%	67.6%	90.9%	46.2%	79.3%	47.4%	56.5%	76.9%	50.0%	67.7%
u. Tobacco use prevention	99.0%	100.0%	90.9%	100.0%	100.0%	100.0%	100.0%	100.0%	93.8%	100.0%
v. Violence prevention (such as bullying, figt	82.0%	91.4%	63.6%	76.9%	96.6%	75.0%	75.0%	80.8%	62.5%	87.1%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-4 During this school year, have teachers in this school tried to improve each of the following student skills in a required health education course in any of grades 6 through 12? (Response of those answering "Yes".)										
a. products, and services	85.0%	82.9%	81.8%	76.9%	89.7%	80.0%	87.5%	84.6%	93.8%	83.9%
b. community health	82.0%	80.0%	90.9%	83.3%	75.0%	75.0%	91.7%	92.3%	62.5%	87.1%
c. Analysis of media messages	79.0%	85.7%	45.5%	61.5%	86.7%	68.4%	79.2%	80.8%	93.8%	80.0%
d. Communication	86.0%	88.6%	80.0%	84.6%	93.1%	89.5%	83.3%	92.0%	75.0%	80.6%
e. Decision making	91.0%	97.1%	81.8%	84.6%	93.3%	90.0%	91.7%	96.2%	87.5%	87.1%
f. Goal setting	85.0%	90.9%	81.8%	69.2%	83.3%	84.2%	83.3%	96.2%	81.3%	80.6%
g. Conflict resolution	82.0%	91.4%	54.5%	66.7%	96.4%	80.0%	75.0%	84.6%	75.0%	77.4%
h. Resisting peer pressure for unhealthy behaviors (i.e. refusal skills)	95.0%	97.1%	81.8%	100.0%	100.0%	95.0%	91.7%	96.2%	93.8%	90.3%
i. Stress management	82.0%	91.4%	81.8%	69.2%	86.7%	75.0%	79.2%	88.5%	81.3%	77.4%
Q-5 During this school year, have teachers in this school used each of the following teaching methods in a required health education course in any of grades 6 through 12? (Response of those answering "Yes".)										
a. Group discussions	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.2%	100.0%	93.5%
b. Cooperative group activities	96.0%	100.0%	81.8%	100.0%	100.0%	100.0%	100.0%	88.5%	87.5%	93.5%
c. Role-play, simulations, or practice	74.0%	82.4%	45.5%	92.3%	73.3%	75.0%	79.2%	65.4%	62.5%	74.2%
d. Language, performing, or visual arts	54.0%	63.6%	36.4%	38.5%	51.7%	44.4%	54.2%	46.2%	62.5%	63.3%
e. Pledges or contracts for behavior change	35.0%	45.5%	9.1%	23.1%	44.8%	38.9%	41.7%	30.8%	31.3%	25.0%
f. Adult guest speakers	78.0%	80.0%	54.5%	38.5%	80.0%	78.9%	87.0%	84.6%	81.3%	87.1%
g. Peer educators	54.0%	61.8%	27.3%	46.2%	51.7%	50.0%	70.8%	61.5%	40.0%	50.0%
h. The Internet	73.0%	74.3%	72.7%	69.2%	76.7%	84.2%	66.7%	65.4%	68.8%	77.4%
i. Computer-assisted instruction	53.0%	64.7%	45.5%	38.5%	63.3%	33.3%	41.7%	50.0%	56.3%	64.5%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-7 During this school year, have teachers in this school asked students to participate in each of the following activities as part of a required health education course in any of grades 6 through 12? (Response of those answering "Yes".)										
a. Short-term health consequences of cigarette smoking (such as decreased stamina, stained teeth, bad breath, etc.)	96.0%	93.9%	90.9%	100.0%	96.7%	100.0%	100.0%	96.2%	93.8%	100.0%
b. Long-term health consequences of cigarette smoking (such as heart disease, cancer, emphysema, premature wrinkling, and premature death)	97.0%	97.0%	90.9%	100.0%	96.7%	100.0%	100.0%	100.0%	93.8%	100.0%
c. Benefits of not smoking cigarettes (including long and short-term health benefits, social benefits, or financial benefits)	94.0%	97.0%	90.9%	91.7%	100.0%	90.0%	87.0%	96.2%	93.8%	100.0%
d. Risks of cigar or pipe smoking	81.0%	78.8%	45.5%	75.0%	90.0%	80.0%	78.3%	92.3%	75.0%	90.3%
e. Short-term health consequences of using :	92.0%	93.9%	63.6%	75.0%	96.7%	100.0%	91.3%	96.2%	93.8%	100.0%
f. Long-term health consequences of using :	95.0%	93.9%	72.7%	100.0%	100.0%	100.0%	91.3%	100.0%	93.8%	100.0%
g. Benefits of not using smokeless tobacco	92.0%	93.9%	63.6%	83.3%	100.0%	100.0%	86.4%	96.2%	87.5%	96.8%
h. products	94.0%	93.9%	81.8%	100.0%	93.3%	100.0%	91.3%	92.3%	93.8%	100.0%
i. How many young people use tobacco	86.0%	84.8%	54.5%	83.3%	86.2%	100.0%	78.3%	88.5%	87.5%	100.0%
j. related to tobacco use	91.0%	93.9%	63.6%	91.7%	93.3%	90.0%	82.6%	100.0%	87.5%	100.0%
k. Influence of families on tobacco use	86.0%	81.8%	72.7%	83.3%	90.0%	85.0%	87.0%	88.5%	81.3%	96.8%
l. Influence of the media on tobacco use	92.0%	93.9%	72.7%	91.7%	93.3%	100.0%	91.3%	92.3%	87.5%	93.5%
m. use	86.0%	81.8%	72.7%	91.7%	86.7%	83.3%	86.4%	88.5%	80.0%	96.8%
n. related to tobacco use prevention or cessation	65.0%	63.6%	45.5%	50.0%	63.3%	55.6%	78.3%	72.0%	62.5%	71.0%
o. use tobacco	70.0%	75.8%	45.5%	75.0%	70.0%	75.0%	73.9%	69.2%	56.3%	74.2%
p. How students can influence or support oth	86.0%	78.8%	45.5%	91.7%	90.0%	100.0%	95.7%	88.5%	81.3%	87.1%
q. How students can influence or support others in efforts to quit using tobacco	85.0%	75.8%	54.5%	83.3%	90.0%	95.0%	95.7%	84.6%	75.0%	90.3%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region

Q-8 During this school year, did teachers in this school teach each of the following HIV prevention topics in a required health education course for students in any of grades 6 through 12? (Response of those answering "Yes".)

a. to avoid HIV infection	92.0%	94.1%	72.7%	100.0%	92.9%	95.5%	90.9%	100.0%	92.9%	90.0%
b. How HIV is transmitted	91.0%	97.1%	63.6%	91.7%	92.6%	95.5%	90.9%	100.0%	85.7%	90.0%
c. How HIV affects the human body	91.0%	97.1%	72.7%	91.7%	92.6%	95.5%	81.8%	100.0%	85.7%	90.0%
d. How to correctly use a condom	34.0%	38.2%	9.1%	16.7%	40.7%	19.0%	45.5%	28.0%	42.9%	46.7%
e. Condom efficacy, that is, how well condoms work and don't work	68.0%	67.6%	36.4%	66.7%	77.8%	63.6%	59.1%	84.0%	78.6%	70.0%
f. Influence of alcohol and other drugs on HIV-related risk behaviors	89.0%	91.2%	63.6%	91.7%	96.3%	90.9%	86.4%	96.0%	92.9%	86.7%
g. Social or cultural influences on HIV-related	84.0%	88.2%	45.5%	83.3%	88.9%	95.5%	77.3%	96.0%	92.9%	76.7%
h. The number of young people who get HIV	88.0%	93.9%	54.5%	91.7%	88.9%	90.9%	90.9%	96.0%	92.9%	83.3%
i. How to find valid information or services re	81.0%	85.3%	54.5%	50.0%	85.2%	81.8%	81.8%	96.0%	85.7%	83.3%
j. Compassion for persons living with HIV or	81.0%	85.3%	45.5%	75.0%	81.5%	76.2%	81.8%	96.0%	85.7%	80.0%

Q-9 Are required tobacco use prevention units or lessons taught in each of the following courses in this school? (Response of those answering "yes".)

a. Science	13.0%	10.3%	15.4%	11.8%	16.2%	11.1%	8.0%	13.8%	23.5%	10.8%
b. Home economics or family and consumer	21.0%	25.6%	15.4%	0.0%	16.2%	25.9%	20.0%	27.6%	29.4%	24.3%
c. Physical education	70.0%	71.8%	76.9%	58.8%	78.9%	63.0%	57.7%	66.7%	88.9%	73.0%
d. Family life education or life skills	23.0%	28.2%	0.0%	17.6%	27.0%	33.3%	4.0%	27.6%	11.8%	29.7%
e. Special education	9.0%	5.1%	7.7%	23.5%	16.2%	3.7%	32.0%	20.7%	23.5%	8.1%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-15 During the past two years, did you receive staff development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following health education topics? (Response of those answering "Yes".)										
a. Accident or injury prevention	46.0%	52.6%	58.3%	36.8%	33.3%	44.4%	44.0%	63.3%	44.4%	40.5%
b. Alcohol or other drug use prevention	44.0%	51.4%	41.7%	36.8%	43.2%	48.1%	40.0%	43.3%	33.3%	48.6%
c. Consumer health	14.0%	15.8%	16.7%	10.5%	11.1%	14.8%	16.0%	20.0%	5.6%	10.8%
d. CPR (cardiopulmonary resuscitation)	69.0%	73.7%	83.3%	63.2%	63.9%	51.9%	70.8%	63.3%	72.2%	78.4%
e. Death and dying	15.0%	18.4%	16.7%	26.3%	8.3%	18.5%	20.0%	10.0%	11.1%	16.2%
f. Dental and oral health	10.0%	18.4%	0.0%	0.0%	11.1%	7.4%	12.5%	10.0%	5.6%	8.1%
g. Emotional and mental health	27.0%	26.3%	33.3%	26.3%	22.2%	29.6%	24.0%	43.3%	22.2%	21.6%
h. Environmental health	14.0%	13.2%	16.7%	10.5%	11.4%	18.5%	12.5%	16.7%	11.1%	10.8%
i. First aid	68.0%	76.3%	66.7%	63.2%	61.1%	48.1%	70.8%	73.3%	66.7%	80.6%
j. Growth and development	21.0%	28.9%	25.0%	15.8%	13.9%	22.2%	20.8%	30.0%	11.1%	18.9%
k. HIV (human immunodeficiency virus) prev	52.0%	65.8%	33.3%	36.8%	48.6%	48.1%	48.0%	70.0%	38.9%	51.4%
l. Human sexuality	28.0%	34.2%	16.7%	10.5%	16.7%	33.3%	28.0%	40.0%	27.8%	35.1%
m. Immunization and vaccinations	16.0%	28.9%	16.7%	0.0%	5.6%	18.5%	16.7%	24.1%	5.6%	19.4%
n. Nutrition and dietary behavior	31.0%	39.5%	33.3%	10.5%	16.7%	26.9%	44.0%	37.9%	27.8%	37.8%
o. Personal hygiene	13.0%	15.8%	0.0%	10.5%	8.6%	7.4%	8.3%	27.6%	11.1%	13.5%
p. Physical activity and fitness	48.0%	68.4%	41.7%	57.9%	40.5%	29.6%	45.8%	51.7%	38.9%	51.4%
q. Pregnancy prevention	25.0%	26.3%	0.0%	21.1%	19.4%	22.2%	20.8%	34.5%	38.9%	29.7%
r. STD (sexually transmitted disease)	39.0%	42.1%	16.7%	36.8%	33.3%	37.0%	29.2%	55.2%	44.4%	43.2%
s. Suicide prevention	20.0%	23.7%	8.3%	31.6%	19.4%	22.2%	12.5%	24.1%	16.7%	16.2%
t. Sun safety or skin cancer	11.0%	13.2%	25.0%	0.0%	8.3%	11.1%	12.5%	20.7%	11.1%	5.4%
u. Tobacco use prevention	37.0%	44.7%	33.3%	47.4%	40.5%	29.6%	33.3%	31.0%	11.1%	43.2%
v. Violence prevention (such as bullying, fight)	51.0%	63.2%	0.0%	47.4%	43.2%	51.9%	54.2%	65.5%	44.4%	54.3%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region
Q-16 Would you like to receive staff development on each of these health education topics? (Response of those answering "Yes".)										
a. Accident or injury prevention	51.0%	47.2%	54.5%	42.1%	35.3%	51.9%	52.0%	63.3%	47.1%	56.8%
b. Alcohol or other drug use prevention	68.0%	67.6%	66.7%	52.6%	65.7%	59.3%	70.8%	70.0%	83.3%	75.0%
c. Consumer health	52.0%	52.8%	63.6%	31.6%	55.6%	44.4%	62.5%	50.0%	38.9%	59.5%
d. CPR (cardiopulmonary resuscitation)	65.0%	66.7%	66.7%	47.4%	58.8%	63.0%	70.8%	86.7%	58.8%	56.8%
e. Death and dying	55.0%	50.0%	63.6%	42.1%	52.8%	51.9%	58.3%	63.3%	44.4%	59.5%
f. Dental and oral health	38.0%	32.4%	45.5%	27.8%	40.0%	40.7%	40.0%	46.7%	27.8%	35.1%
g. Emotional and mental health	61.0%	48.6%	63.6%	42.1%	52.9%	63.0%	79.2%	66.7%	61.1%	70.3%
h. Environmental health	48.0%	29.7%	54.5%	36.8%	51.5%	37.0%	64.0%	50.0%	38.9%	62.2%
i. First aid	65.0%	56.8%	75.0%	63.2%	60.6%	59.3%	66.7%	82.8%	61.1%	56.8%
j. Growth and development	50.0%	60.0%	63.6%	27.8%	37.5%	37.0%	50.0%	56.7%	41.2%	61.1%
k. HIV (human immunodeficiency virus) prev	65.0%	62.2%	72.7%	57.9%	57.6%	66.7%	70.8%	70.0%	61.1%	67.6%
l. Human sexuality	55.0%	59.5%	54.5%	42.1%	54.5%	55.6%	50.0%	53.3%	55.6%	59.5%
m. Immunization and vaccinations	45.0%	32.4%	63.6%	36.8%	39.4%	44.4%	45.5%	53.3%	38.9%	50.0%
n. Nutrition and dietary behavior	67.0%	61.1%	63.6%	44.4%	64.7%	66.7%	75.0%	75.9%	66.7%	73.0%
o. Personal hygiene	43.0%	32.4%	54.5%	36.8%	41.2%	48.1%	45.8%	46.7%	29.4%	45.9%
p. Physical activity and fitness	63.0%	59.5%	63.6%	52.6%	60.0%	51.9%	79.2%	62.1%	58.8%	70.3%
q. Pregnancy prevention	59.0%	70.6%	54.5%	47.4%	52.9%	59.3%	58.3%	60.0%	66.7%	56.8%
r. STD (sexually transmitted disease)	64.0%	67.6%	66.7%	47.4%	60.6%	69.2%	65.2%	62.1%	70.6%	67.6%
s. Suicide prevention	73.0%	73.7%	72.7%	63.2%	65.7%	59.3%	79.2%	90.0%	66.7%	83.8%
t. Sun safety or skin cancer	51.0%	41.7%	54.5%	52.6%	45.5%	48.1%	65.2%	50.0%	44.4%	56.8%
u. Tobacco use prevention	66.0%	64.9%	83.3%	52.6%	66.7%	66.7%	62.5%	60.0%	77.8%	70.3%
v. Violence prevention (such as bullying, fight)	78.0%	75.0%	72.7%	63.2%	81.8%	73.1%	82.6%	76.7%	83.3%	83.3%

Regional Findings from the School Health Education Profile Lead Health Educators Survey - Montana 2000

Source: 2000 Montana School Health Education Profile Survey (OPI).

Questions Asked of Lead Health Educator:	Region									
	Statewide Average	4 Rivers Region	Central Region	Hi Line Region	North Central Region	North East Region	North West Region	South Central Region	South East Region	Western Region

Q-24 During this school year, which of the following methods were used for tobacco use prevention? (Response of those answering "Yes".)

a. Seat work	90.0%	85.3%	83.3%	80.0%	83.3%	100.0%	100.0%	88.0%	93.3%	96.8%
b. Lectures	95.0%	91.2%	91.7%	100.0%	90.3%	90.9%	100.0%	100.0%	93.8%	100.0%
c. Group discussion	96.0%	100.0%	90.9%	86.7%	96.8%	90.9%	100.0%	96.2%	100.0%	96.9%
d. Adult guest speakers	44.0%	42.4%	40.0%	40.0%	29.6%	47.6%	41.2%	52.0%	40.0%	58.1%
e. Peer educators	29.0%	35.5%	9.1%	20.0%	21.4%	35.0%	29.4%	42.3%	28.6%	29.0%
f. Role playing, simulations, or practice	55.0%	66.7%	36.4%	40.0%	63.3%	45.0%	58.8%	57.7%	35.7%	60.0%
g. The Internet	48.0%	54.5%	30.0%	60.0%	48.1%	35.0%	56.3%	56.0%	50.0%	45.2%
h. Special projects	64.0%	62.5%	36.4%	66.7%	67.7%	57.1%	76.5%	52.0%	75.0%	70.0%

Q-30 During the past 30 days, on how many days did you use tobacco? (Response of those answering "zero days".)

a. Did not use tobacco in past 30 days	93.0%	94.9%	91.7%	100.0%	86.1%	92.6%	95.8%	92.3%	88.9%	94.3%
--	-------	-------	-------	--------	-------	-------	-------	-------	-------	-------